

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	26615	client adj device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 06:59
S2	78994	wireless adj network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 07:00
S3	25985	wireless adj lan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 07:00
S4	124382	authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 07:01
S5	3089774	distance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 07:01
S6	4176984	range	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 07:01
S7	83505	transmission adj signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 07:02
S8	5697	S1 and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 07:02
S9	892	S8 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 07:03

S10	373	S9 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 07:03
S11	114	S10 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 07:03
S12	105	S11 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 07:04
S13	6446	(370/352).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 08:01
S14	0	("L12andL13").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 08:02
S15	0	("L12andL13").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/06 08:02
S17	7850	Wi-Fi	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/23 07:53
S18	11236	WiFi	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/23 07:54
S19	417	"802" near "11"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/23 07:54
S20	25	S18 and S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/23 07:55

S21	135701	authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/23 08:07
S22	2466	S18 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/23 08:07
S23	45	S19 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/23 08:08
S24	1367	range adj edge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 09:54
S25	136107	authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 09:54
S26	2	S24 and S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 09:54
S27	3156502	distance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 09:59
S28	680	S24 and S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 09:59
S29	86747	transmission adj signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 09:59
S30	5	S28 and S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 09:59

S31	4048	preselected adj range	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 08:57
S32	136328	authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 08:58
S33	15	S31 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 08:58
S34	89938	wireless adj network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 09:06
S35	13	S31 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 09:06
S36	28721	wireless adj lan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 09:13
S37	0	S31 and S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 09:13
S38	4291422	range	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 09:13
S39	4048	S31 and S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 09:13
S40	86790	transmission adj signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 09:14

S41	93	S31 and S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 09:14
S42	7980	Wi-Fi	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 10:43
S43	11379	WiFi	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 10:43
S44	4048	preselected adj range	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 10:43
S45	0	S44 and S42 and S43	USPAT	OR	OFF	2008/06/30 10:43
S46	0	S42 and S44	USPAT	OR	OFF	2008/06/30 10:43
S47	0	S43 and S44	USPAT	OR	OFF	2008/06/30 10:43
S48	72	S42 and S43	USPAT	OR	OFF	2008/06/30 10:44
S49	136328	authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 10:44
S50	24	S48 and S49	USPAT	OR	OFF	2008/06/30 10:44
S51	1287	(709/245).CCLS.	USPAT; USOCR	OR	OFF	2008/06/30 12:48
S52	2714	(709/227).CCLS.	USPAT; USOCR	OR	OFF	2008/06/30 12:49
S53	0	("L1andL2").PN.	USPAT; USOCR	OR	OFF	2008/06/30 12:49
S54	2813996	back up port	USPAT	OR	OFF	2008/06/30 12:49
S55	1149	S54 and S51	USPAT	OR	OFF	2008/06/30 12:49
S56	2491	S54 and S52	USPAT	OR	OFF	2008/06/30 12:50
S57	12	retry adj port	USPAT	OR	OFF	2008/06/30 12:50

S58	73	back adj up adj port	USPAT	OR	OFF	2008/06/30 12:55
S59	0	S58 and S51	USPAT	OR	OFF	2008/06/30 12:55
S60	2	S58 and S52	USPAT	OR	OFF	2008/06/30 12:55
S61	89938	wireless adj network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 13:10
S62	105	S51 and S61	USPAT	OR	OFF	2008/06/30 13:10
S63	136328	authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 13:10
S64	29	S62 and S63	USPAT	OR	OFF	2008/06/30 13:10
S65	8	reconnect adj port	USPAT	OR	OFF	2008/06/30 14:41
S66	620	reset adj port	USPAT	OR	OFF	2008/06/30 14:47
S67	0	S66 and S51	USPAT	OR	OFF	2008/06/30 14:47
S68	2	S66 and S52	USPAT	OR	OFF	2008/06/30 14:48
S69	620	S66 and S54	USPAT	OR	OFF	2008/06/30 14:54
S70	5	S66 and S57	USPAT	OR	OFF	2008/06/30 14:54
S71	1	reestablish adj connection adj port	USPAT	OR	OFF	2008/06/30 14:58
S72	29797	client adj device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 09:06
S73	1289	(709/245).CCLS.	USPAT; USOCR	OR	OFF	2008/07/07 09:28
S74	90499	wireless adj network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 09:28
S75	106	S73 and S74	USPAT	OR	OFF	2008/07/07 09:28

S76	0	("11476760").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/07 09:31
S77	1	"11476760"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 09:31
S78	1	("5799254").PN.	USPAT; USOCR	OR	OFF	2008/07/07 10:04
S79	27666	Coverage adj area	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 13:09
S80	8073	Wi-Fi	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 13:10
S81	715	S79 and S80	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 13:10
S82	11529	WiFi	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 13:10
S83	120	S81 and S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 13:10
S84	136787	authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 13:10
S85	67	S83 and S84	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 13:10
S86	4297322	range	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 13:15

S87	103	S83 and S86	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 13:15
S88	90499	wireless adj network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 13:44
S89	7447	S79 and S88	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 13:44
S90	528	S89 and S80	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 13:44
S91	101	S90 and S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 13:44
S92	18067	Secure adj communication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 13:56
S93	42	S92 and S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 13:56
S94	3161319	distance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 14:10
S95	359	S81 and S94	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 14:10
S96	59	S95 and S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 14:11



S97	1464076	positioning	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 14:14
S98	6310	S97 and S79	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 14:14
S99	288	S98 and S80	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 14:14
S100	59	S99 and S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 14:15
S101	259	S99 and S86	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 14:17
S102	195	S101 and S94	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 14:18
S103	259	Advanced adj Forward adj Link adj Trilateration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 14:48
S104	2	Strength adj Measure adj Position adj Accuracy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 14:49
S105	9163	Strength adj Measurement	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 15:07
S106	3014	Signal adj Strength adj Measurement	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 15:08

S107	45	S106 and S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 15:09
S108	1	("6795407").PN.	USPAT; USOCR	OR	OFF	2008/07/09 07:16
S109	1	("6870815").PN.	USPAT; USOCR	OR	OFF	2008/07/09 07:18
S110	90590	wireless adj network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 07:36
S111	86974	transmission adj signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 07:36
S112	1032	S110 and S111	USPAT	OR	OFF	2008/07/09 07:36
S113	29821	client adj device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 07:37
S114	37	S112 and S113	USPAT	OR	OFF	2008/07/09 07:37
S115	3016	Signal adj Strength adj Measurement	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 08:27
S116	24	S112 and S115	USPAT	OR	OFF	2008/07/09 08:27
S117	9069526	(strength of received signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 10:01
S119	21346	strength near3 received near3 signal	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/09 10:05
S120	33213	client adj device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 10:06
S121	406	S119 and S120	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/09 10:06

S122	148305	authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/09 10:14
S123	150	S121 and S122	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/09 10:14
S124	18381	fraud	US-PGPUB; USPAT	NEAR	ON	2008/12/23 09:14
S125	165502	((transmit or transmission or transmitting) near3 (signal or feature)) and (button or key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 10:20
S126	33473	client adj device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 10:21
S127	2481	S125 and S126	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 10:21

12/ 23/ 2008 11:19:12 AM

C:\Documents and Settings\tsatkiewicz\My Documents\EAST\Workspaces\10807484.wsp